

Peatbogs and Carbon

A critical synthesis

Richard Lindsay

UEL
University of
East London

ERG
Environmental Research Group

Peatbogs and carbon: a critical synthesis to inform policy development in oceanic peat bog conservation and restoration in the context of climate change.

Richard Lindsay
Environmental Research Group
University of East London

r.lindsay@uel.ac.uk

© R A Lindsay June 2010

School of Health & Bioscience
University of East London
Stratford Campus
Water Lane
London
E15 4LZ



RSPB Scotland
2010

Peatbogs and Carbon: A Critical Synthesis



This report was commissioned by RSPB Scotland with funding support from Scottish Natural Heritage, Countryside Council for Wales, Natural England and the Forestry Commission.

Further copies are available from the RSPB Website

Any further queries to:
Clifton Bain
RSPB Scotland
clifton.bain@rspb.org.uk

The report was produced by Richard Lindsay
Environmental Research Group
University of East London
r.lindsay@uel.ac.uk

The report was originally written in Microsoft Word but was produced in its final form using Open Office Writer.

The views expressed in this report are those of the researcher and do not necessarily reflect those of the funding bodies.

Acknowledgements

A number of people have given generously of their time to help guide and support this work. Clifton Bain, RSPB, as the Project Manager for this work has been actively involved throughout the project – a project which in the end required far more time and detailed analysis than anyone anticipated. Clifton has helped to push the work along with patience and sound advice at all times, and I am greatly indebted to him for his efforts during the last two years. Stephen Chapman, MLURI, very generously read through an early draft with great care and provided a considerable quantity of extremely helpful facts, comments and observations on that draft. I am very grateful for his kindness, generosity and helpfulness in improving this earlier text.

The Steering Group for this project consisted of Richard Bradbury (RSPB), Andrew Coupar (SNH), David Thompson (Natural England), Hillary Miller (CCW) and Sallie Bailey (Forestry Commission). The Steering Group members provided many key documents and much valuable advice during the course of the work, and I would like to take this opportunity to thank them for their constant support and help.

From the RSPB, very helpful comments were received from Neil Cowie, Murray Grant, James Pearce-Higgins, Jeremy Wilson and Pat Thompson.

Keith Kirby, Natural England, also provided a number of valuable observations.

The Forestry Commission provided a wide range of comments, and I should particularly like to thank Russell Anderson, James Morison, Sirwan Yamalki, Frank MacCulloch, Mike Perks and Hugh Clayden.

Jo Smith, University of Aberdeen, also provided a number of very helpful comments and observations about the draft windfarm section.

Stuart Connop and Pat Thompson assisted with the final production of Adobe pdf versions of the report, and I am grateful to both of them for their efforts here.

To all of these individuals and organisations I extend my grateful thanks. Any remaining errors are entirely my own and are there despite the best efforts of the many individuals and organisations who have so kindly reviewed drafts of this work.

This critical synthesis was commissioned by the RSPB, and was undertaken with support from Scottish Natural Heritage, Natural England, Countryside Council for Wales, the Forestry Commission, the IUCN UK Peatlands Programme and the University of East London. I am grateful to all these organisations for supporting this programme of work.

Table of contents

PART 1: Key findings and Executive Summary

Executive Summary.....	ii-xi
Key findings.....	.xii-xiii

PART 2: Carbon and Peatbogs

1 Introduction.....	2
2 Introduction to Peatlands – particularly bogs.....	4
2.1 <i>Why this section (and Appendices 2 and 3) are important.....</i>	4
2.2 <i>Peat – a soil of biotic origin and responsiveness.....</i>	5
2.2.1 Peat soils – wetland systems.....	5
2.2.2 Bogs – wetlands dependent upon atmospheric moisture.....	6
2.2.3 Blanket mire: a landscape of peat-forming systems.....	6
2.2.4 Bog : a system with two layers.....	6
2.3 <i>The building blocks and functional units of blanket mire systems.....</i>	7
2.3.1 Macrotope.....	7
2.3.2 Mesotope.....	8
2.3.3 Microtope.....	8
2.3.4 Nanotope.....	8
2.3.5 Vegetation.....	8
2.3.5.1 Bog vegetation – three competing components.....	8
2.3.5.2 Sphagnum vegetation – distinct zonations.....	8
2.3.5.3 Sphagnum zonation – a responsive system.....	9
3 Carbon stores and how to measure them.....	10
3.1 <i>Estimating the extent of UK peatlands and peat bog habitats.....</i>	10
3.2 <i>Estimating the thickness of UK peat deposits.....</i>	20
4 Carbon and the components of bog peat.....	25
4.1 <i>Peat and mineral matter.....</i>	25
4.2 <i>Carbon atoms in peat.....</i>	27
4.3 <i>Bulk density of peat (and the acrotelm-catotelm transition).....</i>	30
4.3.1 Bulk density of peat: field measurements.....	33
4.3.1.1 Single cores, intermittent sampling.....	33
4.3.1.2 Single cores, continuous sampling.....	34
4.3.1.3 Sampling of exposed peat faces.....	38
4.3.1.4 Bulk density and humification.....	39
4.3.1.5 Bulk density and hydraulic conductivity.....	40
4.3.1.6 Bulk density and lowland peat soils.....	41
4.3.1.7 Bad á Cheo: a window into the bulk density of blanket peat.....	41
4.3.2 Bulk density values from other mire-forming countries.....	44
4.3.2.1 Bulk density in the Boreal Region.....	44
4.3.2.2 Bulk density in northern Spain.....	44

4.3.2.3 Bulk density – Southern Hemisphere.....	45
4.3.3 Bulk density, land use and the standard Clymo model.....	45
4.3.3.1 Land use and the haplotelm bog.....	46
4.3.3.2 Bulk-density sampling, land use and the haplotelm bog.....	47
4.3.3.3 The need for more high-resolution studies of bulk density.....	48
4.3.4 Bulk density and small-scale microtopography (microtopes and nanotopes).....	48
4.4 Carbon content – a summary.....	50
5 Carbon storage per unit volume.....	52
5.1 Calculation of carbon per unit volume.....	52
5.1.1 Mineral content : variability and influence.....	53
5.1.2 % carbon content of dry/organic matter : variability and influence.....	54
5.1.3 Bulk density : variability and influence	55
5.2 A ‘standard’ value for carbon per cubic metre?.....	55
5.2.1 ‘Natural cubic metre of peat’.....	56
5.2.2 Haplotelm cubic metre of peat.....	58
5.2.3 Cubic metre of catotelm peat.....	60
5.2.3.1 Regional variation in catotelm bulk density.....	60
5.2.3.2 Spatial variation in catotelm bulk density.....	60
5.2.4 Gas in peat.....	63
6 Estimating the carbon stored within the peatlands of the UK.....	65
6.1 Peat - an unusual carbon store.....	65
6.2 Published estimates of carbon storage.....	65
6.2.1 Cannell, Dewar and Pyatt (1993).....	65
6.2.1.1 Units of carbon storage.....	66
6.2.2 Howard et al. (1995).....	66
6.2.3 Milne and Brown (1997).....	67
6.2.3.1 Sphagnum and biomass carbon.....	68
6.2.4 Garnett et al. (2001).....	72
6.2.5 Bradley et al. (2005).....	73
6.2.6 Dawson and Smith (2006).....	74
6.2.7 The ECOSSE Report.....	74
6.3 Total GB carbon store in peat – and associated uncertainties.....	75
6.3.1 GB peat-carbon store.....	75
6.3.2 Uncertainties and limitations to peat-carbon estimates.....	76
6.3.2.1 Thomlinson (2005) : an exemplary study of uncertainty.....	76
7 Peat accumulation and decomposition.....	78
7.1 Accumulation/decomposition in the acrotelm.....	79
7.1.1 Sphagnum and acrotelm productivity.....	80
7.1.2 Sphagnum and decay.....	82
7.1.3 Microtopography, accumulation and decay.....	83
7.1.4 Decomposition and surface conditions.....	85
7.2 Accumulation and decay in the catotelm.....	87
7.2.1 LORCA/LARCA-RERCA-ARCA : rates of peat accumulation.....	88
7.2.1.1 LORCA/LARCA.....	88
7.2.1.2 RERCA.....	88
7.2.1.3 ARCA/TRACA.....	88
7.2.1.4 “p*” – “Active” Rate of Deposition by the Acrotelm (ARDA).....	89
7.3 Peat accumulation, decomposition and gas exchange.....	89
7.3.1 Carbon dioxide, methane and greenhouse warming potential (GWP).....	90
7.3.2 Carbon-exchange pathways – carbon dioxide (CO ₂).....	91
7.3.2.1 Estimates for CO ₂ storage – LARCA and ARCA.....	92
7.3.2.2 Estimates for CO ₂ storage – mass-balance studies.....	93

7.3.2.3 Estimates of CO ₂ storage – a summary.....	95
7.3.3 Mass-balance studies – areas of concern.....	95
7.3.4 Carbon-exchange pathways – methane (CH ₄).....	97
7.3.5 CH ₄ storage (as micro-bubbles).....	98
7.3.6 CH ₄ as an energy source.....	98
7.3.7 CH ₄ oxidation and release of CO ₂ to the atmosphere.....	99
7.3.8 Direct methane (CH ₄) emissions to the atmosphere.....	100
7.3.8.1 Hargreaves and Fowler (1998).....	100
7.3.8.2 The ECOSSE Report (2007).....	101
7.3.8.3 CH ₄ , microtopography and vegetation.....	102
7.3.8.4 Gray (2005).....	104
7.3.8.5 Laine, Wilson, Kelly and Byrne (2007) – an exemplary study.....	107
7.3.8.6 CH ₄ , Pennine blanket mires and hare’s-tail cotton grass.....	109
7.3.9 Carbon-exchange pathways – water-borne carbon (DOC, POC).....	110
7.3.9.1 Particulate organic carbon (POC).....	110
7.3.9.2 Dissolved organic carbon (DOC).....	111
7.4 <i>The balance between CO₂, CH₄ and dissolved/particulate carbon in blanket mires</i>	114
8 Carbon accumulation in natural UK peat bogs – a summary.....	118
8.1 <i>GWP-carbon balance</i>	118
8.2 <i>Biomass storage</i>	119
8.3 <i>Limits to the illustrated, idealised ‘cubic metre of peat’</i>	119
8.4 <i>‘Vascular-plant cycle’ and ‘Sphagnum cycle’</i>	120

PART 3: Carbon and Peatbogs – Discussion Topics

9 DISCUSSION TOPIC 1a

Drainage of peat bog systems – the carbon balance..... 122

9.1 <i>Biological aspects of, and responses to, drainage</i>	122
9.1.1 Drainage and the peat matrix.....	122
9.1.1.1 Primary (1°) consolidation.....	123
9.1.1.2 Secondary (2°) compression.....	123
9.1.1.3 Oxidative wastage.....	123
9.1.2 Subsidence and oxidation – consolidation or loss?.....	124
9.1.2.1 Kasimir-Klemedtsson et al. (1997) – a comparison of estimates.....	124
9.1.3 Surface subsidence and observed water-table draw-down.....	125
9.1.4 Acrotelm, catotelm and peatland drainage.....	126
9.1.4.1 ‘Surface waters’ and ‘groundwater’.....	126
9.1.4.2 Acrotelm de-watering (draining).....	128
9.1.4.3 Slope and acrotelm de-watering – the ‘topographic index’.....	130
9.1.4.4 Drainage and biotic change : Coulson, Butterfield and Henderson (1990).....	131
9.1.5 Ecological response to drainage.....	132
9.1.6 Cracking, piping and slope-failure.....	135
9.2 <i>Carbon balance of drainage</i>	136
9.2.1 Drainage and carbon sequestration.....	136
9.2.2 Drainage and carbon dioxide release.....	137
9.2.2.1 Silvola, Alm, Ahlholm, Nykänen and Martikainen (1996).....	138
9.2.2.2 Minkkinen and Laine (1998).....	139
9.2.2.3 Minkkinen, Laine, Shurpali, Mäkiranta, Alm and Penttilä (2007a).....	140
9.2.2.4 Relationship between Finnish studies and the British context.....	140
9.2.2.5 Drainage, temperature and CO ₂ release from the catotelm.....	141
9.2.3 Drainage and methane release.....	142
9.2.3.1 Acrotelm, catotelm, drainage, and CH ₄ emissions.....	142
9.2.3.2 Methane emissions from differing forms of intensive drainage.....	143

9.2.4 Drainage and POC losses.....	144
9.2.5 Drainage and DOC losses.....	145
9.2.6 Drainage and local climate effects.....	146
9.3 Overall carbon-balance model for drainage.....	146
9.4 Research needs.....	148
9.4.1 Acrotelm response to drainage.....	148
9.4.2 Surface-profile changes in response to drainage.....	148
9.4.3 Oxidative wastage rates in the catotelm.....	148
9.4.4 Evidence for drainage impacts in the peat archive.....	148
9.4.5 Evidence of change from remote sensing.....	149
9.4.6 CO ₂ and CH ₄ flux rates correlated with changes in microtopography and vegetation.....	149
9.4.7 Age-estimates for CO ₂ , CH ₄ and DOC to determine the origin of emissions/release.....	149
9.4.8 Relationship between Sphagnum, vascular plants and DOC release.....	149
10 DISCUSSION TOPIC 1b	
Restoration of drained peat bog systems – the carbon balance.....	150
10.1 Restoration processes for drained blanket bog.....	150
10.1.1 Drain restoration techniques : flooding (terrestrialisation) and re-wetting (paludification)	
.....	151
10.1.1.1 Dams.....	151
10.1.1.2 ‘Filters’ – e.g. heather bales, conifer waste.....	153
10.1.1.3 Infilling of drains.....	153
10.1.1.4 Restoration by ‘benign neglect’.....	153
10.2 Carbon responses to drain-blocking in blanket mires.....	154
10.2.1 Gaseous carbon responses to drain blocking – CO ₂ and CH ₄	154
10.2.1.1 Drain-blocking and CO ₂ flux.....	154
10.2.1.2 Drain blocking and CH ₄ flux.....	156
10.2.2 Drain-blocking and DOC production.....	159
10.2.2.1 Short-term response of DOC to ditch-blocking : Worrall, Armstrong and Holden (2007b).....	159
10.2.2.2 Medium-term response of DOC to ditch-blocking : Wallage, Holden and McDonald (2006).....	160
10.2.2.3 Modelling the impact of drain blocking : Worrall, Gibson and Burt (2007a).....	161
10.3 Research needs.....	162
10.3.1 Drain blocking – the vegetation response.....	162
10.3.2 Relationship between terrestrialisation, paludification and restoration strategies.....	163
10.3.3 Relationship between CO ₂ flux and drain-blocking.....	163
10.3.4 Relationship between CH ₄ flux, drainage and drain-blocking.....	163
11 DISCUSSION TOPIC 2	
Windfarms on peat.....	164
11.1 Windfarm roads.....	164
11.1.1 Floating roads.....	165
11.1.2 Excavated roads.....	167
11.2 Carbon savings for windfarms on peat (Nayak et al., 2008).....	168
11.2.1 Revision of worked example values.....	168
11.2.2 Grid emission savings.....	168
11.2.3 Extent of drainage around drainage features.....	169
11.2.4 Peat landslide hazard.....	169
11.3 Research needs.....	169
11.3.1 Engineering properties of peat.....	169
11.3.2 Eco-hydrological studies of floating roads.....	169
11.3.3 Development of the Nayak et al. (2008) carbon model.....	170
12 DISCUSSION TOPIC 3a	
Forestry on peat – the carbon balance.....	171

12.1 <i>Forestry on peat : ground conditions</i>	171
12.1.1 Drainage for forestry.....	171
12.1.1.1 Water table and forest drainage: Braekke (1983).....	171
12.2 <i>Forestry on peat: consolidation, compression and oxidative wastage</i>	174
12.2.1 Forest impacts over a 26-year period: Braekke (1987).....	174
12.2.2 Forest impacts over a 28-year period: Shotbolt et al. (1998).....	175
12.2.3 Compression or oxidation? Anderson et al. (1992, 2000).....	179
12.2.3.1 Anderson et al. (1992): back-calculating scale of subsidence.....	179
12.2.3.2 Anderson et al. (2000): detailed monitoring of impacts.....	180
12.2.4 Forest drainage and subsidence – oxidation vs compression.....	182
12.3 <i>Forestry on peat : carbon balance</i>	182
12.3.1 Cannell, Dewar and Pyatt (1993).....	183
12.3.1.1 Carbon-balance values to set the scene.....	183
12.3.1.2 Forest plantations and loss of peat thickness.....	183
12.3.1.3 Modelling of carbon gains and losses.....	184
12.3.2 Cannell (1999).....	185
12.3.3 Hargreaves, Milne and Cannell (2003).....	185
12.3.3.1 Methodological issues.....	186
12.3.3.2 Carbon accumulation model.....	187
13 DISCUSSION TOPIC 3b	
Restoration of afforested peat – the carbon balance.....	191
13.1 <i>Peatlands, forests and carbon stores</i>	191
13.2 <i>Colls (2006)</i>	192
14 DISCUSSION TOPIC 4	
Hydro-electric schemes in peat-covered catchments.....	196
14.1 <i>Gaseous release from flooded vegetation and soils</i>	196
14.1.1 Kelly et al. (1997) : Canadian reservoir experiment.....	196
14.2 <i>Gaseous carbon balance for reservoirs within a peat-dominated catchment</i>	197
14.2.1 Huttunen et al. (2003) : reservoirs in Finland.....	197
14.2.2 Reservoirs in the British context.....	198
14.2.3 Global concern about reservoirs and peat soils.....	198
14.3 <i>Sedimentation rates and loss of reservoir capacity</i>	198
15 DISCUSSION TOPIC 5	
Peat bogs and climate change.....	200
15.1 <i>Peat bogs – responsive systems to climate change</i>	200
15.2 <i>Climate-change predictions and peat bog systems</i>	200
15.3 <i>Blanket mire and climate</i>	202
15.3.1 ‘Occult precipitation’ and Sphagnum.....	202
15.3.2 Cloud cover.....	203
15.3.3 Atmospheric humidity.....	204
15.3.4 Increasing ‘oceanicity’.....	204
15.4 <i>Species ‘climate envelope’</i>	204
15.5 <i>Climate change and peat accumulation</i>	204
15.6 <i>Actions and research needs</i>	205
15.6.1 Restoration of acrotelm.....	205
15.6.2 Refinement, development and application of Barber’s (1981) ‘phasic’ model of peat bog response to climate change.....	205
15.6.3 Refinement of habitat and species climate-envelopes.....	205
15.6.4 Climate change and peatland hazards.....	206
15.6.5 Climate change, vascular-plant cover and DOC.....	206

15.6.6 Climate change, water management schemes and lowland bogs.....	206
16 DISCUSSION TOPIC 6a	
Commercial peat extraction and the carbon balance.....	207
16.1 Gaseous carbon balance and peat extraction.....	207
16.2 Particulate carbon losses from peat-extraction sites – POC and DOC.....	208
16.2.1 Losses of POC through aerial transport.....	208
16.2.2 Water-borne losses of POC from peat-extraction sites.....	210
16.2.2.1 Peak runoff control.....	210
16.2.2.2 Floodplain filtering.....	210
16.2.2.3 Sedimentation ponds.....	210
16.2.3 DOC losses and commercial peat mining.....	211
16.3 Actions and research needs.....	211
17 DISCUSSION TOPIC 6b	
Carbon balance and the restoration of commercial peat extraction sites.....	212
17.1 Sphagnum regeneration and carbon exchange.....	212
17.1.1 Sphagnum regeneration and water tables.....	212
17.1.2 Gaseous carbon-exchange and re-wetting of cut-over sites.....	213
17.2 Actions and research needs.....	213
17.2.1 Rates of peat oxidation.....	213
17.2.2 GHG flux and peat-extraction sites.....	213
17.2.3 GHG flux and peat-extraction sites.....	214
18 DISCUSSION TOPIC 7	
Burning and peat bog systems.....	215
18.1 Burning and peatland management.....	215
18.2 Extent and frequency of burning management.....	216
18.3 Recovery times after fire.....	217
18.4 Burning and the carbon balance.....	220
18.4.1 Burning studies in the Pennines.....	220
18.4.1.1 Methodological concerns about Hard Hill studies.....	221
18.4.1.2 Garnett, Ineson and Stevenson (2000): burning and carbon accumulation.....	221
18.4.1.3 Ward et al. (2007): burning and carbon stocks.....	221
18.4.1.4 Worrall, Armstrong and Adamson (2007c).....	222
18.4.1.5 Worrall and Adamson (2007).....	222
18.4.1.6 Clay, Worrall and Fraser (2009a).....	222
18.4.1.7 Clay, Worrall, Clark and Fraser (2009b).....	223
18.4.1.8 Worrall and Clay (2009).....	223
18.4.1.9 Farage et al. (2009) : Mossdale Moor, Wensleydale.....	223
18.4.1.10 Yallop and Clutterbuck (2009) : burning and DOC.....	224
18.5 Fire, carbon and Sphagnum.....	225
18.6 Actions and research needs.....	225
18.6.1 Burning, Sphagnum and heather.....	225
18.6.2 Recovery times and sequences after fire.....	226
18.6.3 Fire, carbon balance and DOC.....	226
19 DISCUSSION TOPIC 8	
Erosion in blanket bogs.....	227
19.1 Introduction.....	227
19.2 The extent of blanket mire erosion in the UK.....	228
19.2.1 Bower (1960, 1961) : a classification of erosion.....	229
19.2.2 The extent and severity of peat erosion in England.....	229

19.2.2.1 Bower (1961) : the Pennine chain.....	229
19.2.2.2 Anderson and Tallis (1981) : southern Pennines.....	229
19.2.2.3 Burt and Labadz (1990) : southern Pennines.....	230
19.2.2.4 Tallis (1997) : a southern Pennine overview of severity.....	230
19.2.2.5 Garnett and Adamson (1997) : Moor House, north Pennines.....	231
19.2.3 The extent and severity of peat erosion in Wales	231
19.2.4 The extent and severity of peat erosion in Scotland	232
19.2.4.1 Hulme and Blyth (1985) : extreme rates of peat erosion.....	232
19.2.4.2 Grieve et al. (1994, 1995) : review of upland erosion in Scotland.....	232
19.2.4.3 Coupar, Immirzi and Reid (1997) : regional patterns of erosion.....	232
19.2.4.4 Lilly et al. (2009) : erosion review for Scotland (and Northern Ireland).....	233
19.2.5 Extent and rate of blanket mire erosion : a summary.....	233
<i>19.3 The origins of 'peatland erosion as a natural process'</i>	233
19.3.1 Natural erosion – a key question for conservation.....	233
19.3.2 Weber (1902) : hummocks and pools as constructive features	234
19.3.3 Osvald (1923) : hummocks and pools as destructive features.....	234
19.3.4 Pearsall (1950) : internal collapse and unstable growth.....	235
19.3.5 Conway (1954) : vigorous unstable growth.....	235
19.3.6 Bower (1960, 1961, 1962) : studies and reviews of blanket mire erosion in the Pennines	236
19.3.7 Taylor (1983) : peatlands in the UK.....	237
19.3.8 Tallis (1985) : erosion and mass movement.....	237
19.3.9 Tallis (1987) : 'erosion, fire and flood'.....	237
19.3.10 Tallis (1995b) : stream erosion and forest clearance.....	237
<i>19.4 Peatland erosion and innate stability</i>	238
19.4.1 Evans and Warburton (2007) : slope stability.....	238
19.4.2 Hydrological constraints to peat growth.....	238
19.4.3 Peat-forest landscapes : trees as 'soil-nails'.....	240
<i>19.5 Natural hydrological instability</i>	242
19.5.1 'Destructive' and 'constructive' peat pipes.....	242
19.5.1.1 'Destructive' peat pipes.....	242
19.5.1.2 Constructive peat pipes.....	242
<i>19.6 Anthropogenic triggers of blanket mire erosion : fire, grazing and pollution</i>	243
19.6.1 Blanket mire erosion in a global context.....	243
19.6.2 Blanket mires and grazing.....	244
19.6.2.1 Grazing experiments at Moor House NNR.....	244
19.6.2.2 Sheep grazing and blanket mire damage: Hulme and Birnie (1997).....	245
19.6.2.3 Exclusion of cattle from mossbeds (bogs) in Victoria, Australia.....	245
19.6.3 Blanket mires, erosion and burning.....	245
19.6.3.1 Burning and grazing experiments at Moor House NNR.....	246
19.6.3.2 Blanket mire erosion, Sphagnum and Racomitrium lanuginosum.....	247
<i>19.7 Actions and research needs</i>	248
19.7.1 Erosion and fire.....	248
19.7.2 Erosion and recovery rates.....	252
19.7.3 Erosion and grazing/trampling.....	252
19.7.4 Blanket mire erosion in a global context.....	252

PART 4: References and Appendices

20 References	254
----------------------------	------------

21 APPENDIX 1: Origins of the confusing and sometimes contradictory evidence for carbon, peat and global warming	279
---	------------

22 APPENDIX 2: The Peatland Habitat – essential knowledge for working with peatlands.....	281
22.1 Peatlands as wetlands.....	281
22.2 Life on Earth – a question of energy.....	282
23 Appendix 3: The fundamental architecture of peat-forming systems.....	283
23.1 Mire systems – defined by their source of water.....	283
23.1.1 Fens – fed by groundwater.....	283
23.1.2 Bogs – fed directly by precipitation.....	283
23.1.3 Blanket mires – complex mire systems.....	284
23.1.4 Bogs – a system with two layers.....	284
23.2 Peat – highly variable in origin and composition.....	285
23.3 Peat – ‘mostly water and holes’.....	286
23.4 Acrotelm, catotelm, decomposition and waterlogging.....	287
24 Peatlands and pattern: the fine-scale architecture of peatland systems.....	291
24.1 The ‘hummock-hollow regeneration cycle’ vs. ‘phasic change’.....	291
24.2 Hydro-morphological hierarchy of peatland ecosystems.....	293
24.2.1 Macrotope.....	294
24.2.2 Mesotope.....	296
24.2.3 Microtopes.....	299
24.2.3.1 Microtopes and climate: the pattern of patterns.....	300
24.2.3.2 Microtopes and slope.....	302
24.2.3.3 Microtope characterisation.....	304
24.2.4 Nanotopes.....	306
24.2.4.1 Summary of nanotope features.....	307
24.2.4.2 T1 low ridge.....	307
24.2.4.3 T2 high ridge.....	308
24.2.4.4 T3 hummock.....	308
24.2.4.5 T4 erosion hagg.....	309
24.2.4.6 T5 peat mounds.....	309
24.2.4.7 A1 Sphagnum hollows.....	309
24.2.4.8 A2 mud-bottom hollows.....	310
24.2.4.9 A3 drought-sensitive pools.....	310
24.2.4.10 A4 permanent pools.....	311
24.2.4.11 Erosional nanotope forms.....	311
24.2.4.12 E1 regenerating erosion gullies.....	311
24.2.4.13 E2 active erosion gullies (formerly TA2 : sensu Lindsay et al., 1988).....	312
24.2.4.14 Em1/2 micro-erosion.....	313
24.2.4.15 Tk tussock.....	313
24.3 Microtope patterns – assembling the nanotopes.....	315

List of Figures

Figure 1. The peatland hierarchy of elements and their musical equivalents.....	7
Figure 2. The zonation of vegetation types within the microtopography of a bog.....	9
Figure 3. Graphs indicating the estimated extent of peat across England, Wales, Scotland and the UK (estimates produced 1968 – 2008 : See Table 1.).....	17
Figure 4. Proportion of solid matter and water in peat.....	29
Figure 5. Proportions by weight of solid-matter components in peat.....	29
Figure 6. Layering and bulk density in the surface layers of a bog (after Clymo, 1992).....	31
Figure 7. 'Residence curve' for a bog water table.....	32
Figure 8. Bulk density profiles for Knockroe raised mire and Letterfrack blanket mire, western Ireland.....	35
Figure 9. Peat cores in soft, wet peat.....	37
Figure 10. Square box sampler.....	38
Figure 11. Indicative relationship between bulk density and hydraulic conductivity.....	40
Figure 12. Bulk density profile along Transect 1, Bad á Cheo, Caithness.....	43
Figure 13. Bulk density profile along Transect 2, Bad á Cheo, Caithness.....	44
Figure 14. Gaps in the peat - deep gully erosion.....	49
Figure 15. Changes to the carbon content of peat as the % mineral matter content is reduced.....	54
Figure 16. Changes to the carbon content of peat as the bulk density is altered.....	55
Figure 17. Quantities of material contained within the acrotelm and catotelm of a natural 'standard cubic metre of peat'.....	57
Figure 18. Quantities of material contained within the haplotelm and catotelm of a haplotelmic 'standard cubic metre of peat'.....	59
Figure 19. Quantities of material contained within the haplotelm and catotelm of a haplotelmic 'standard cubic metre of peat'.....	62
Figure 20. Quantities of material, including gas, contained within the acrotelm and catotelm of a 'natural cubic metre of peat'.....	64
Figure 21. Depth of peat at particular bulk densities required to produce biomass carbon stocks equivalent to the biomass carbon of mature conifer plantations.....	71
Figure 22. Study area for the ECOSSE Report methane emission studies at Ullapool.....	102
Figure 23. Maol Donn gas-flux study site, Sutherland used by Gray (2005).....	108
Figure 24. Quantities of material movement in a 'standard cubic metre of peat' for a natural peat bog in Britain.....	118
Figure 25. 'Vascular-plant cycle' and 'Sphagnum cycle'.....	120
Figure 26. Slumping, subsidence and oxidation associated with a drain cut in Wedholme Flow, a raised bog in northern Cumbria.....	125
Figure 27. Rates of water transmission within different layers of the acrotelm.....	128
Figure 28. Behaviour of water table at particular locations on Cors Caron NNR raised bog, mid-Wales – maximum and minimum water levels.....	129
Figure 29. Behaviour of water table at Coladoir Bog NNR, Isle of Mull, Argyll - a continuous record.....	130
Figure 30. Topographic index calculated for blanket mire at Mickleton Moor in the northern Pennines.....	130
Figure 31. Various stages of change resulting from progressive drainage of blanket mire habitat.....	133
Figure 32. Photo composite of an A3 pool system on Cashlaundrumlahan, in the Slieve Aughty Mountains, Co. Galway.....	134
Figure 33. Carbon-balance model of drainage for a standard cubic metre of peat.....	147
Figure 34. Long-term profile changes in blanket mire drainage.....	152
Figure 35. Paludification response to drain blocking on an Austrian sloping bog.....	155

Figure 36. Overwhelmed sheet-steel dam in drain at Blawhorn Moss, Midlothian.....	158
Figure 37. Disruption of surface seepage by floating roads.....	166
Figure 38. Possible increase in bulk density at Bad á Cheo by use of quad bike.....	167
Figure 39. Water table ranges on a drained, furrowed site (Borgmyra, Norway) with differing drain distances.....	173
Figure 40. Transect 1 detail at Bad á Cheo, Caithness.....	176
Figure 41. Transect 1 at Bad á Cheo, Caithness.....	177
Figure 42. Expansion of subsidence during 35-year forest rotation.....	178
Figure 43. Aerial view of Auchencorth Moss, and possible location of instruments.....	186
Figure 44. Aerial view of Mindork Moss, Newton Stewart.....	187
Figure 45. Carbon balance model constructed for 26 years of forestry on peat by Hargreaves et al. (2003).....	188
Figure 46. Carbon balance over 60 years for Yield Class 12 trees planted on peat.....	190
Figure 47. Carbon accumulation rates and carbon losses for 15-year felled forestry.....	194
Figure 48. Thickness-equivalence of a Sphagnum carpet vs forest carbon biomass for a 15-year mixed forest.....	195
Figure 49. Various stages of change resulting from progressive climate-warming in blanket mire habitat.....	201
Figure 50. 'Occult precipitation' (mist/fog) collecting on vegetation in the central Pennines.....	203
Figure 51. Loss of POC from a commercial peat-milling field, Nutberry Moss, Dumfries and Galloway.....	209
Figure 52. Sediment pond at Auchencorth Moss peat-extraction site, Midlothian.....	211
Figure 53. Fire return-times for various upland areas in Scotland and England, with an indication of potential recovery time.....	219
Figure 54. Fire in the vascular-plant cycle, and in the Sphagnum cycle.	225
Figure 55. Blanket mire erosion at Kinder Scout, Peak District.	228
Figure 56. Blanket peat draped over hill summit, northern Skye.	240
Figure 57. Blanket mire in Tierra del Fuego, Argentina.	241
Figure 58. Aerial photograph of Lewis blanket bog, Outer Hebrides, showing line of 'constructive' sink holes indicating presence of stream running along the mineral sub-base beneath the peat. The stream eventually emerges from the peat pipe at the right of the photograph.....	243
Figure 59. Aerial photograph of Tallis (1995a) study site: Over Wood Moss, south Pennines.....	249
Figure 60. Analysis of certain plant remains from Over Wood Moss, south Pennines.....	251
Figure 61 Sphagnum cell structure.....	286
Figure 62. Donacid wing cases.....	287
Figure 63. Acrotelm structure and properties.....	290
Figure 64. Hydro-morphological hierarchy of mire systems.....	294
Figure 65. Schematic representation of blanket mire.....	295
Figure 66. Comparison of lagg fen zones on raised mires in Latvia and Scotland.....	297
Figure 67. Mapping of peatland flow lines and mesotopes.....	298
Figure 68. Characterisation of UK blanket bog mesotopes using flow lines.....	299
Figure 69. A selection of microtope patterns found on raised and blanket mires.....	301
Figure 70. Relationship between maximal microtope pattern and climate.....	302
Figure 71. Relationship between microtope pattern and gradient.....	303
Figure 72. Microtope patterns on a watershed/valleyside mire.....	304
Figure 73. Microtopes and aerial viewpoints.....	305
Figure 74. Generalised zonation of nanotope features found on bog systems.....	307
Figure 75. T1 low ridge.....	307

Figure 76. T2 high ridge.....	308
Figure 77. T3 hummock.....	308
Figure 78. T4 erosion hags.....	309
Figure 79. A1 hollows.....	309
Figure 80. A2 mud-bottom hollow.....	310
Figure 81. A3 drought-sensitive pools.....	310
Figure 82. A4 permanent pools.....	311
Figure 83. E1 regenerating erosion gullies.....	312
Figure 84. E2 active erosion gully.....	312
Figure 85. Em micro-erosion.....	313
Figure 86. Tk tussock.....	313
Figure 87. Tussock growth form.....	314
Figure 88. Nanotope distribution within a blanket bog surface.....	315

List of tables

Table 1. Estimates of total peatland extent (hectares) for England, Scotland, Wales, Northern Ireland, and combinations of these, given by a range of sources (and often including some fen-peat deposits). Orange shading indicates estimates which incorporate some original field-based mapping data. Non-shaded estimates are based on previously-published data, or on re-interpretation of existing soil-mapping units, but add no new original field data. Note that some values represent 'extent of peat soil', rather than 'living mire' or even 'degraded mire habitat'; the current status of such peat soils may thus be found in any one (or more) of the various 'condition classes' described and illustrated by [Section 11] and [Plates 15 – 39] of Lindsay (1995).....	12
Table 2. Contrasting characteristics of acrotelm and haplotelm properties.....	47
Table 3. Values of components for natural cubic metre of peat.....	57
Table 4. Values of components for haplotelm cubic metre of peat.....	59
Table 5. Values of components for catotelm cubic metre of peat under two sets of conditions – natural, and eroding (or subject to human impact).....	61
Table 6. Quantities of carbon contained within various cubic metres of peat.....	63
Table 7. Quantities of carbon stored in differing thicknesses of acrotelm.....	69
Table 8. Estimated stock of carbon (Mt C) held in Scottish peatlands.....	75
Table 9. Estimated stock of carbon (Mt C) held in Welsh peatlands.....	75
Table 10. Productivity of differing above-ground layers in the vegetation of bogs (Rydin and Jeglum, 2006).....	79
Table 11. Productivity of different Sphagnum growth-forms or species grown in differing micro-topographic environments, based on data from Clymo (1970) and Weltzin et al. (2001).	83
Table 12. Greenhouse warming potentials (GWP) for methane (CH ₄).....	91
Table 13. Summary of values for carbon accumulation in peatlands.....	96
Table 14. Range of methane (CH ₄) emission rates from differing bog sites.....	103
Table 15. Methane emissions estimated by Laine et al. (2007) from differing parts of the microtopography of Glencar blanket bog, Co. Kerry, Ireland.....	108
Table 16. Balance between rates for carbon accumulation and methane emissions.....	115
Table 17. Comparison of two mass-balance studies for peatland catchments.....	116
Table 18. Summary of CH ₄ emission rates for Finnish peatland sites under differing land uses, according to Alm et al. (2007).....	143
Table 19. Comparison of maximum and minimum values for lowering of water table, and associated parameters, provided by Braekke (1983) for two drained study plots, one with ploughing furrows, one without, on Borgmyra, Lofoten Islands, Norway.....	173
Table 20. Scenarios for differing rates of C-loss beneath plantations on peat.....	185
Table 21. Fire return-times (in years) for blanket mires in Scotland and England.....	218
Table 22. Summary of possible mechanisms triggering blanket mire erosion, according to a range of authors.....	239